



VA- 9APF

VA-9 APF is an **Alkyl Phenol Free**, Vinyl Acetate acrylic copolymer emulsion with high scrub resistance and exterior durability, designed for use as a binder in water based paints and coatings.

VA- 9APF Typical Properties :

Solids Content	55±1%
Viscosity at 25°C Brookfield LVT 1/60	20-80 cps
PH	4.0-5.5
Specific Gravity at 25°C	1.07
Surfactant Type	Anionic/Nonionic
Minimum Film Formation Temperature	+9°C
Tg	+22°C

Film Properties :

VA-9 APF forms a colorless, glossy, tough, flexible and non-tacky film with excellent grain crack resistance and long term durability.

Application :

VA-9 APF formulations, for flat interior and exterior paints with excellent water abrasion resistance. Flexible textured coatings, crack fillers and putties.

Packaging :

200-kilo lacquer lined metal drums with polyethylene inner liner, 1-ton polyethylene container.

Storage :

VA-9 APF can be stored in original containers it is supplied in. Store in shade and protect from freezing.

Further Information about safe handling of this product can be found in the publication, "B.G. Polymers Safety Data Sheet".

All the information included in this data sheet is correct and is presented to the best of our knowledge and experience without warranty. Information on the use of our products should be adapted to local conditions. B.G Technologies cannot accept responsibility or liability for any damage, loss or patent infringements from the use of this information.